Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * *	* *	* *	* *	* Welcome to STN International * * * * * * * * * *
NEWS	1			Web Page for STN Seminar Schedule - N. America
NEWS	2	APR	04	
NEWS	3	APR	15	WPIDS, WPINDEX, and WPIX enhanced with new
	-			predefined hit display formats
NEWS	4	APR	28	EMBASE Controlled Term thesaurus enhanced
NEWS	5	APR	28	IMSRESEARCH reloaded with enhancements
NEWS	6	MAY	30	INPAFAMDB now available on STN for patent family
				searching
NEWS	7	MAY	30	DGENE, PCTGEN, and USGENE enhanced with new homology
				sequence search option
NEWS	8	JUN	06	EPFULL enhanced with 260,000 English abstracts
NEWS	9	JUN	06	
NEWS	10	JUN	13	
				patent numbers for U.S. applications
NEWS	11	JUN	19	
				web-based collections
NEWS	12	JUN	25	CA/CAplus and USPAT databases updated with IPC
				reclassification data
NEWS	13	JUN	30	AEROSPACE enhanced with more than 1 million U.S.
				patent records
NEWS	14	JUN	30	EMBASE, EMBAL, and LEMBASE updated with additional
				options to display authors and affiliated
				organizations
NEWS	15	JUN	30	
				Assistant and BLAST plug-in
NEWS			30	
NEWS			28	
NEWS	18	JUL	28	EPFULL enhanced with additional legal status
				information from the epoline Register
NEWS				IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS				STN Viewer performance improved
NEWS				INPADOCDB and INPAFAMDB coverage enhanced
NEWS	22	AUG	13	CA/CAplus enhanced with printed Chemical Abstracts
				page images from 1967-1998
NEWS				CAOLD to be discontinued on December 31, 2008
NEWS				
NEWS	25	AUG	25	CA/CAplus, CASREACT, and IFI and USPAT databases
				enhanced for more flexible patent number searching
NEWS	26	AUG	27	
				comprehensive access to substance and sequence
				information

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008. NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 11:43:03 ON 15 SEP 2008

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

NTRY SESSION 0.21 0.21

FILE 'REGISTRY' ENTERED AT 11:43:11 ON 15 SEP 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 SEP 2008 HIGHEST RN 1049627-95-3
DICTIONARY FILE UPDATES: 14 SEP 2008 HIGHEST RN 1049627-95-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>

Uploading C:\Program Files\Stnexp\Queries\10535690-1.str




chain nodes:
6 7 8 9 10 12
ring nodes:
1 2 3 4 5
chain bonds:
1-8 3-7 4-6 5-12 7-10 8-9
ring bonds:
1-2 1-5 2-3 3-4 4-5
exact/norm bonds:
1-5 1-8 4-5 4-6 7-10 8-9
exact bonds:
1-2 2-3 3-4 3-7 5-12
isolated ring systems:
containing 1:

Match level: 1:Atom 2:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:Atom 10:Atom 12:CLASS

L1 STRUCTURE UPLOADED

=> d l1 L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11 sss sam SAMPLE SEARCH INITIATED 11:43:33 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 2767 TO ITERATE

72.3% PROCESSED 2000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED) SEARCH TIME: 00.00.01 50 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
PROJECTED ITERATIONS: 5218 TO 58495
PROJECTED ANSWERS: 15976 TO 19552

L2 50 SEA SSS SAM L1

=> d scan

IN 4(5H)-Thiazolone, 5-[[2-(difluoromethoxy)phenyl]methylene]-2-[(2,6-1)]methylene]-

dimethylphenyl)amino]-

MF C19 H16 F2 N2 O2 S

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

IN 1H-Indole-1-acetonitrile, 3-[[2-[(5-chloro-2-methylphenyl)amino]-4-oxo-5(4H)-thiazolylidene]methyl]-MF C21 H15 C1 N4 O S

- 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN L2
- IN 4(5H)-Thiazolone, 2-[(2,5-dimethylphenyl)amino]-5-[(3-ethoxy-2hydroxyphenyl)methylene]-C20 H20 N2 O3 S
- MF

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[(7-chloro-1,3-benzodioxol-5-yl)methylene]-2-
- (cyclohexylamino)-MF C17 H17 C1 N2 O3 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzeneacetic acid, 4-[[5-[(3'-fluoro-4'-hydroxy[1,1'-biphenyl]-4yl)methylenej-4,5-dihydro-4-oxo-2-thiazolyl]aminoj-C24 H17 F N2 O4 S
- MF
- CI COM

IN 4(5H)-Thiazolone, 2-(cyclohexylamino)-5-[(2,4-dimethoxyphenyl)methylene]-

MF C18 H22 N2 O3 S

IN 4(5H)-Thiazolone, 2-(2-benzothiazolylamino)-5-[(4-chlorophenyl)methylene]-

MF C17 H10 C1 N3 O S2

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[(3-butoxy-4-methoxyphenyl)methylene]-2-[(2,6-dimethylphenyl)amino]-
- MF C23 H26 N2 O3 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 4(5H)-Thiazolone, 5-[13-bromo-5-methoxy-4-(2-propen-1-yloxy)phenyl]methylene]-2-[(4-methylphenyl)amino]MF C21 H19 Br NZ 03 S
- Me NH CH

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(3H)-Quinazolinone, 3-[[5-(2-furanylmethylene)-4,5-dihydro-4-oxo-2thiazolyl]amino]-2-phenyl-C22 H14 N4 O3 S
- MF

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[[5-bromo-2-(phenylmethoxy)phenyl]methylene]-2-(cyclopentylamino)-MF C22 H21 Br N2 O2 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzeneacetic acid, 4-[[4,5-dihydro-5-[[3-[(2-methoxyphenyl)methoxy]-2-naphthalenyl]methylene]-4-oxo-2-thiazolyl]amino]-
- MF C30 H24 N2 O5 S
- CI COM

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IN 4(5H)-Thiazolone, 5-[(4-chlorophenyl)methylene]-2-[(2,6-dimethylphenyl)amino]MF C18 H15 C1 N2 O S

IN Benzeneacetic acid, 3-[[(5Z)-4,5-dihydro-5-[1H-indol-3-yl[(4-methylphenyl)sulfonyl]methylene]-4-oxo-2-thiazolyl]amino]-

MF C27 H21 N3 O5 S2

Double bond geometry as shown.

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[(4-hydroxyphenyl)methylene]-2-[(3-methoxyphenyl)amino]-
- MF C17 H14 N2 O3 S

IN INDEX NAME NOT YET ASSIGNED

MF C21 H19 N3 O3 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 2-(cyclohexylamino)-5-[(6-fluoro-4H-1,3-benzodioxin-8-
- yl)methylene]-MF C18 H19 F N2 O3 S

- 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN L2
- 4(5H)-Thiazolone, 2-(cyclopentylamino)-5-[[3-methoxy-2-(1-methylethoxy)phenyl]methylene]-(19 H24 N2 O3 S IN
- MF

IN 1H-Indole-1-acetic acid, 5-[[5-([1,1'-biphenyl]-4-ylmethylene)-4,5-dihydro-4-oxo-2-thiazolyl]amino]-

MF C26 H19 N3 O3 S

CI COM

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 1H-Indole-1-propanenitrile, 3-[[4-oxo-2-(phenylamino)-5(4H)-
- thiazolylidene]methyl]-MF C21 H16 N4 O S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 2-[(3,4-dichlorophenyl)amino]-5-[(4-hydroxy-3,5-dimethylphenyl)methylene]-
- MF C18 H14 C12 N2 O2 S

dimethylethyl)dimethylsilyl]oxy]methyl]-1H-benzimidazol-6-yl]methylene]-,
(22,52)-

MF C24 H26 Cl2 N4 O2 S Si

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IN 4(5H)-Thiazolone, 5-[(2-bromophenyl)methylene]-2-[(2,6dimethylphenyl)amino]-MF C18 H15 Br N2 O S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzeneacetic acid, 4-[[5-[(2',4'-difluoro[1,1'-biphenyl]-4-yl)methylene]-4,5-dihydro-4-oxo-2-thiazolyl]amino]-
- MF C24 H16 F2 N2 O3 S
- CI COM

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN MF 4(5H)-Thiazolone, 2-[(2,6-dimethylphenyl)amino]-5-[[3-(phenylmethoxy)phenyl]methylene]MF C25 H22 N2 O2 S

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzo[b]thiophene-3-carboxylic acid, 2-[[(5E)-4,5-dihydro-4-oxo-5-(6-quinolinylmethylene)-2-thiazolyl]amino]-3a, 4, 5, 6, 7, 7a-hexahydro-, ethyl ester
- MF C24 H23 N3 O3 S2

Double bond geometry as shown.

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[[5-(4-chloro-2-nitrophenyl)-2-furanyl]methylene]-2-[(2,6-dimethylphenyl)amino]-C22 H16 C1 N3 O4 S
- MF

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IH-Indole-1-acetamide, 3-[[2-[(3,5-dimethylphenyl)amino]-4-oxo-5(4H)thiazolylidene]methyl]-C22 H20 N4 O2 S

MF

IN 1,2,4-Benzotriazine-3-carboxylic acid, 6-[(Z)-(2-[(2,6-

dichlorophenyl)amino]-4-oxo-5(4H)-thiazolylidene)methyl]-, ethyl ester C20 H13 C12 N5 O3 S

Double bond geometry as shown.

IN 4(5H)-Thiazolone, 2-(cyclopentylamino)-5-[(2-ethoxyphenyl)methylene]-

MF C17 H20 N2 O2 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzeneacetic acid, 4-[5-[(1-ethoxy-2-naphthalenyl)methylene]-4,5-dihydro-4-oxo-2-thiazolyl]amino]-
- MF C24 H20 N2 O4 S
- CI COM

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IN 4(5H)-Thiazolone, 5-[(3,5-dimethoxyphenyl)methylene]-2-[(2-methylphenyl)amino]-MF C19 H18 N2 03 S

IN 4(5H)-Thiazolone, 5-[(2-iodophenyl)methylene]-2-[(4-methoxyphenyl)amino]-

MF C17 H13 I N2 O2 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 2-(cyclopentylamino)-5-[[5-(4-fluorophenyl)-2-
- thienyl]methylene]-MF C19 H17 F N2 O S2

IN INDEX NAME NOT YET ASSIGNED

MF C18 H13 N3 O S

- 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN L2
- IN Benzeneacetic acid, 4-[[4,5-dihydro-4-oxo-5-[(4'-propoxy[1,1'-biphenyl]-4yl)methylene]-2-thiazolyl]amino]-C27 H24 N2 O4 S
- MF
- CI COM

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- 4(5H)-Thiazolone, 2-(cyclopentylamino)-5-[[3-methoxy-4-(3-methylbutoxy)phenyl]methylene]-(21 H28 N2 O3 S IN
- MF

Me2CH-CH2-CH2-O

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 2-Furancarboxylic acid, 3-[[2-[(2,5-dimethylphenyl)amino]-4-oxo-5(4H)thiazolylidene]methyl]-, methyl ester MF C18 H16 N2 O4 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzamide, 4-chloro-N-[3-[[2-[(2,6-dimethylphenyl)amino]-4-oxo-5(4H)-thiazolylidene]methyl]phenyl]-
- MF C25 H20 C1 N3 O2 S

IN Benzoic acid, 4-[[2-ethoxy-4-[[4-oxo-2-(phenylamino)-5(4H)-

thiazolylidenejmethyl]phenoxyjmethyl]-MF C26 H22 N2 O5 S

IN 4-Thiazolidinone, 2-[(2,6-dichlorophenyl)imino]-5-[(2-phenyl-1H-interval)]

benzimidazol-6-yl)methylene]-, (2Z,5Z)-, compd. with piperidine (1:1) MF C23 H14 C12 N4 O S . C5 H11 N

CM 1

CM 2

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 5-[(3-hydroxy-4-methoxyphenyl)methylene]-2-[(3-methylphenyl)amino]-
- MF C18 H16 N2 O3 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN Benzeneacetic acid, 4-[[4,5-dihydro-5-[[3-[(3-methoxyphenyl)methoxy]-2-naphthalenyl]methylene]-4-oxo-2-thiazolyl]amino]-
- MF C30 H24 N2 O5 S
- CI COM

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- 4(5H)-Thiazolone, 2-[(2,6-dimethylphenyl)amino]-5-[[3-methoxy-4-(phenylmethoxy)phenyl]methylene]-C26 H24 N2 O3 S IN
- MF

IN 2(1H)-Pyridinone, 3-[(Z)-[2-[(2-chlorophenyl)amino]-4-oxo-5(4H)thiazolylidene]methyl]-MF C15 H10 C1 N3 O2 S

Double bond geometry as shown.

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN MF 4(5H)-Thiazolone, 2-[(2,6-dimethylphenyl)amino]-5-[(3-methylphenyl)methylene]MF C19 H18 N2 O S

IN INDEX NAME NOT YET ASSIGNED

MF C19 H16 C1 N3 O4 S

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- IN 4(5H)-Thiazolone, 2-[(2,6-dichlorophenyl)amino]-5-(tetrazolo[1,5a]quinoxalin-8-ylmethylene)-, (5Z)-
- MF C18 H9 C12 N7 O S

Double bond geometry as shown.

- L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
- MF 4(5H)-Thiazologo, 2-(cyclopentylamino)-5-[[4-(methylamino)-3-nitrophenyl]methylene]MF C16 H18 N4 O3 S

L2 50 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN IN Benzeneacetic acid, 4-[[4,5-dihvdro-4-oxo-5-[[3-

Benzeneacetic acid, 4-[[4,5-dihydro-4-oxo-5-[[3-(2-phenylethoxy)-2-naphthalenyl]methylene]-2-thiazolyl]amino]-

MF C30 H24 N2 O4 S

CI COM

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> log y COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.92 1.13

FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 11:44:07 ON 15 SEP 2008